

## **CODING RESOURCE**

Doptelet® (avatrombopag) is a thrombopoietin receptor agonist indicated for the treatment of thrombocytopenia in adult patients with chronic liver disease who are scheduled to undergo a procedure or chronic immune thrombocytopenia who have had an insufficient response to a previous treatment.<sup>1</sup>

This resource lists codes that may be useful for identifying appropriate patients for Doptelet. It is important to note that the codes identified on the following pages are examples only. Each provider is responsible for all coding decisions and submitting complete and accurate information to the patient's insurer. The use of the following codes does not guarantee coverage.

#### NATIONAL DRUG CODE (NDC) FOR DOPTELET<sup>1</sup>

| Dosage   | Carton Code      | Blister Card Code |
|--|------------------|-------------------|
| Carton of 1 blister card with 10 tablets                           | NDC 71369-020-10 | NDC 71369-020-11  |
| Carton of 1 blister card with 15 tablets                           | NDC 71369-020-15 | NDC 71369-020-16  |
| Carton of 2 blister cards, each with 15 tablets (30 tablets total) | NDC 71369-020-30 | NDC 71369-020-16  |



For more information, call Doptelet Connect™ at 1-833-368-2663 Monday through Friday 8 AM to 8 PM ET.

1



# ICD-10-CM CODES FOR FDA-APPROVED INDICATIONS

- Adult patients with chronic liver disease who are scheduled to undergo a procedure<sup>1</sup>
- Adult patients with chronic immune thrombocytopenia who have had an insufficient response to a previous treatment

|           | PURPURA AND OTHER HEMORRHAGIC CONDITIONS <sup>2</sup> |  |  |
|-----------|---|--|--|
| ICD-10-CM | Description   |  |  |
| D69.3 ••  | Immune thrombocytopenic purpura                       |  |  |
| D69.49 •• | Other primary thrombocytopenia                        |  |  |
| D69.59 •• | Other secondary thrombocytopenia                      |  |  |
| D69.6 ••  | Thrombocytopenia, unspecified                         |  |  |

|           | ALCOHOLIC LIVER DISEASES <sup>2</sup>     |           |  |  |
|-----------|---|-----------|--|--|
| ICD-10-CM | Description                               | ICD-10-CM | Description                                  |  |
| K70 •     | Alcoholic liver disease                   | к70.30    | Alcoholic cirrhosis of liver without ascites |  |
| K70.0     | Alcoholic fatty liver                     | K70.31    | Alcoholic cirrhosis of liver with ascites    |  |
| K70.1     | Alcoholic hepatitis                       | K70.4     | Alcoholic hepatic failure                    |  |
| K70.10    | Alcoholic hepatitis without ascites       | K70.40    | Alcoholic hepatic failure without coma       |  |
| K70.11    | Alcoholic hepatitis with ascites          | K70.41    | Alcoholic hepatic failure with coma          |  |
| K70.2     | Alcoholic fibrosis and sclerosis of liver | K70.9     | Alcoholic liver disease, unspecified         |  |
| к70.3     | Alcoholic cirrhosis of liver              |           |  |  |



- Adult patients with chronic liver disease who are scheduled to undergo a procedure<sup>1</sup>
- Adult patients with chronic immune thrombocytopenia who have had an insufficient response to a previous treatment<sup>1</sup>

|           | TOXIC LIVER DISEASES <sup>2</sup>                       |           |   |  |
|-----------|---|-----------|---|--|
| ICD-10-CM | Description   | ICD-10-CM | Description   |  |
| K71 •     | Toxic liver disease                                     | K71.5     | Toxic liver disease with chronic active hepatitis                 |  |
| K71.0     | Toxic liver disease with cholestasis                    | K71.50    | Toxic liver disease with chronic active hepatitis without ascites |  |
| K71.1     | Toxic liver disease with hepatic necrosis               | K71.51 •  | Toxic liver disease with chronic active hepatitis with ascites    |  |
| K71.10    | Toxic liver disease with hepatic necrosis, without coma | K71.6     | Toxic liver disease with hepatitis, not elsewhere classified      |  |
| K71.11 •  | Toxic liver disease with hepatic necrosis, with coma    | K71.7     | Toxic liver disease with fibrosis and cirrhosis of liver          |  |
| K71.2     | Toxic liver disease with acute hepatitis                | K71.8     | Toxic liver disease with other disorders of liver                 |  |
| K71.3     | Toxic liver disease with chronic persistent hepatitis   | K71.9     | Toxic liver disease, unspecified                                  |  |
| K71.4     | Toxic liver disease with chronic lobular hepatitis      |           |   |  |

| HEPATIC FAILURE NOT ELSEWHERE CLASSIFIED <sup>2</sup> |   |           |   |
|---|---|-----------|---|
| ICD-10-CM   | Description                                     | ICD-10-CM | Description                               |
| K72   | Hepatic failure not elsewhere classified        | K72.1     | Chronic hepatic failure                   |
| K72.0   | Acute and subacute hepatic failure              | K72.11    | Chronic hepatic failure with coma         |
| K72.00  | Acute and subacute hepatic failure without coma | K72.9     | Hepatic failure, unspecified              |
| K72.01  | Acute and subacute hepatic failure with coma    | K72.90    | Hepatic failure, unspecified without coma |
| K72.10  | Chronic hepatic failure without coma            | K72.91    | Hepatic failure, unspecified with coma    |



- Adult patients with chronic liver disease who are scheduled to undergo a procedure<sup>1</sup>
- Adult patients with chronic immune thrombocytopenia who have had an insufficient response to a previous treatment<sup>1</sup>

| CHRONIC HEPATITIS, NOT ELSEWHERE CLASSIFIED <sup>2</sup> |   |           |   |
|--|---|-----------|---|
| ICD-10-CM  | Description   | ICD-10-CM | Description                                       |
| K73 •  | Chronic hepatitis, not elsewhere classified           | к73.2     | Chronic active hepatitis not elsewhere classified |
| K73.0  | Chronic persistent hepatitis not elsewhere classified | K73.8     | Other chronic hepatitis not elsewhere classified  |
| K73.1 •  | Chronic lobular hepatitis not elsewhere classified    | K73.9     | Chronic hepatitis, unspecified                    |

|           | FIBROSIS AND CIRRHOSIS OF THE LIVER <sup>2</sup> |           |  |  |
|-----------|--|-----------|--|--|
| ICD-10-CM | Description                                      | ICD-10-CM | Description                              |  |
| K74 •     | Fibrosis and cirrhosis of liver                  | K74.4     | Secondary biliary cirrhosis              |  |
| K74.0     | Hepatic fibrosis                                 | K74.5     | Biliary cirrhosis, unspecified           |  |
| K74.1 •   | Hepatic sclerosis                                | K74.6     | Other and unspecified cirrhosis of liver |  |
| K74.2     | Hepatic fibrosis with hepatic sclerosis          | K74.60    | Unspecified cirrhosis of liver           |  |
| K74.3 •   | Primary biliary cirrhosis                        | K74.69    | Other cirrhosis of liver                 |  |

| OTHER INFLAMMATORY LIVER DISEASES <sup>2</sup> |  |           |   |
|--|--|-----------|---|
| ICD-10-CM                                      | Description                                      | ICD-10-CM | Description                                 |
| K75 •  | Other inflammatory liver diseases                | K75.4     | Autoimmune hepatitis                        |
| K75.0  | Abscess of liver                                 | K75.8 ●   | Other specified inflammatory liver diseases |
| K75.1 •  | Phlebitis of portal vein                         | K75.81 ●  | Nonalcoholic steatohepatitis (NASH)         |
| K75.2  | Nonspecific reactive hepatitis                   | K75.89    | Other specified inflammatory liver diseases |
| K75.3  | Granulomatous hepatitis not elsewhere classified | K75.9     | Inflammatory liver disease, unspecified     |



- Adult patients with chronic liver disease who are scheduled to undergo a procedure<sup>1</sup>
- Adult patients with chronic immune thrombocytopenia who have had an insufficient response to a previous treatment<sup>1</sup>

|           | OTHER LIVER DISEASES <sup>2</sup>                 |           |                                   |  |
|-----------|---|-----------|-----------------------------------|--|
| ICD-10-CM | Description                                       | ICD-10-CM | Description                       |  |
| K76       | Other diseases of liver                           | K76.6     | Portal hypertension               |  |
| K76.0     | Fatty (change of) liver, not elsewhere classified | K76.7     | Hepatorenal syndrome              |  |
| K76.1     | Chronic passive congestion of liver               | K76.8     | Other specified diseases of liver |  |
| K76.2     | Central hemorrhagic necrosis of liver             | K76.81    | Hepatopulmonary syndrome          |  |
| K76.3 ●   | Infarction of liver                               | K76.89    | Other specified diseases of liver |  |
| K76.4     | Peliosis hepatis                                  | K76.9     | Liver disease, unspecified        |  |
| K76.5     | Hepatic veno-occlusive disease                    |           |                                   |  |

|           | LIVER DISORDERS IN DISEASES CLASSIFIED ELSEWHERE <sup>2</sup> |  |  |
|-----------|---|--|--|
| ICD-10-CM | Description   |  |  |
| K77 •     | Liver disorders in diseases classified elsewhere              |  |  |

| CHRONIC VIRAL HEPATITIS <sup>2</sup> |   |           |                                      |
|--------------------------------------|---|-----------|--------------------------------------|
| ICD-10-CM                            | Description                                   | ICD-10-CM | Description                          |
| B18 •                                | Chronic viral hepatitis                       | B18.2     | Chronic viral hepatitis C            |
| B18.0                                | Chronic viral hepatitis B with delta-agent    | B18.8 •   | Other chronic viral hepatitis        |
| B18.1 •                              | Chronic viral hepatitis B without delta-agent | B18.9 •   | Chronic viral hepatitis, unspecified |



- Adult patients with chronic liver disease who are scheduled to undergo a procedure<sup>1</sup>
- Adult patients with chronic immune thrombocytopenia who have had an insufficient response to a previous treatment<sup>1</sup>

|           | MALIGNANT NEOPLASMS OF THE LIVER AND INTRAHEPATIC BILE DUCTS <sup>2</sup> |           |   |  |
|-----------|---|-----------|---|--|
| ICD-10-CM | Description   | ICD-10-CM | Description                               |  |
| C22.0 •   | Malignant neoplasms of liver and intrahepatic bile ducts                  | C22.4 •   | Other carcinomas of liver                 |  |
| C22.1 •   | Intrahepatic bile duct carcinoma  | C22.7     | Other specified conditions of liver       |  |
| C22.2 •   | Hepatoblastoma  | C22.8 •   | Malignant neoplasm of liver primary       |  |
| C22.3 •   | Angiosarcoma of liver   | C22.9 •   | Malignant neoplasm of liver not specified |  |

| SECONDARY MALIGNANT NEOPLASM OF THE LIVER AND INTRAHEPATIC BILE DUCT <sup>2</sup> |  |
|---|--|
| ICD-10-CM   | Description  |
| C78.7   | Secondary malignant neoplasm of liver and intrahepatic bile duct |

References: 1. DOPTELET (avatrombopag) [prescribing information]. Durham, NC: AkaRx, Inc; 2021. 2. 2022 ICD-10-CM. Centers for Medicare & Medicaid Services website. Accessed October 25, 2022. https://www.cms.gov/medicare/icd-10/2022-icd-10-cm

